MoDe

DISCOVER YOUR DAILY COFFEE RITUAL










DISCOVER YOUR DAILY COFFEE RITUAL

The MoDe fully automatic coffee machine packs the latest Egro technology into a compact design. High performance, reliability and versatility are combined in a sleek design with ergonomic solutions to improve operators' work and speed up service. MoDe's touchscreen interface has been developed to customise each recipe on the menu with a few simple steps and to facilitate customer interaction when working in self-service MoDe. Designed for all establishments in the Ho.Re.Ca. sector with medium consumption, MoDe is the ideal solution for those who want a quality cafeteria menu with coffee drinks, fresh milk and instant products. Configurable with different milk systems and fridges, add-ons, payment systems and optional extras, MoDe can cater for every need.






x150



QUICK MILK

x150



PRO MILK

x180

CUPS/DAY

CUPS/DAY

CUPS/DAY

HIGHLIGHTS



All the Egro technology at the service of your coffee menu

Create your menu, personalise the recipes and win over your customers with a varied, top-quality coffee menu.

Touchscreen interface

The 7" touchscreen makes it easy to select the desired drink and access the various setting menus.

Configure your MoDe with the option extras and modular solutions

Configure one or two coffee grinders and add one or two hoppers for instant products. Choose the milk system with the fridge that best suits your needs and the ideal payment systems for your business.

A space-saving solution for any location

Compact design and built-in hoppers, for both coffee and instant products, save worktop space.

Intelligent maintenance

Modular organisation of the internal components means fast work by technicians and reduces downtime and general maintenance costs.

Easy to clean

Programme the daily cleaning cycle of the internal circuits to ensure maximum hygiene and performance.



EGRO MODE

COFFEE AND SOLUBLE PRODUCTS

BREWING GROUP IN STAINLESS STEEL

Brewing group in stainless steel available with brewing chambers in different sizes, 18 g (standard) or 22 g (optional).

PERSONALISE COFFEE RECIPES

Get the best out of your coffee. You can adjust the grind size, dose amounts, activate and set pre-infusion levels, and adjust the coffee tamping pressure levels. FLAT BURRS IN STAINLESS STEEL

ø54mm

FRESH WATER BYPASS

The fresh water bypass allows a specified amount of room temperature water to be added to the cup at the beginning or end of the preparation of a coffee-based beverage. It is an ideal solution for cooling drinks and customizing new recipes, recommended for locations that serve coffee-based drinks with ice.



CUSTOM PRE-INFUSION LEVELS

4

TAMPING PRESSURE LEVELS

3

BUILT-IN HOPPERS FOR COFFEE AND INSTANT PRODUCTS

Choose one 1.25 kg (1G) coffee hopper or two 0.75 kg (2G) hoppers and up to two built-in 2-litre hoppers (1S or 2S) for hot chocolate and other instant products.

1x1.25 kg (1g) 2x0.75 kg (2g)

COFFEE HOPPER CAPACITY

1x2 litres (1s) 2x2 litres (2s)

INSTANT PRODUCT HOPPER CAPACITY



WATER AND STEAM

0.5 litres


COFFEE BOILER

0.8 litres

STEAM BOILER








HOT WATER FOR TEA AND HERBAL TEA

Hot water can be dispensed from the main spout (standard) or from the external water wand fitted to the right-hand side of the machine (optional). Adjust the amount of water to prepare tea, herbal teas, and infusions.




STEAM



STEAM WAND

The manual steam wand is the solution for professional baristas who prefer to froth and heat milk by hand. Adjust the steam dispensing time from the settings menu and activate the wand from the touchscreen.

ISTEAM PRO



iSteam Pro is the steam wand designed for automatically frothing milk for cappuccinos and macchiatos. You can control everything through the touchscreen: adjust the temperature and froth level, save an unlimited number of recipes, and activate the automatic wand with a simple tap. Easy to use and simple to clean, iSteam Pro ensures the perfect froth for every milk-based drink on your menu, delivering consistent quality every time. It speeds up service, requires no professional training for operators, and works seamlessly with all types of milk, including plant-based alternatives.

MILK SYSTEMS AND FRIDGES

Egro MoDe offers two different systems for the automatic preparation of fresh milk drinks: Quick Milk and Pro Milk.

PRO MILK

Gear pump installed inside the fridge.

Pro Milk is the right choice for establishments that want to offer their customers a vast assortment of drinks made with hot or cold milk and hot frothy milk. Pro Milk makes it possible to change the temperature of the milk by adjusting the pump pressure from the touchscreen, personalising frothing levels and the foam consistency for each drink. Pro Milk works with the MK4 fridge (4.5 litres), MK6 fridge (6 litres) or FUM fridge (4 litres).

QUICK MILK

Venturi System.

Quick Milk is the right choice for users who do not have to manage a heavy workflow and want to offer their customers a menu with great coffee classics such as cappuccino and latte macchiato. Quick Milk is an intuitive milk system that is easy to use and maintain. The MK4 fridge (4.5 litres) or FUM fridge (4 litres) are available for the Quick Milk system.



(MoDe Pro Milk + MK4 fridge)



MK4 FRIDGE

Designed specifically for locations with limited counter-top space, the compact MK4 4.5-litre fridge with digital display has a single container for the milk. It is easy to install and has adjustable temperature settings.

FUM FRIDGE

4-litre fridge, with pump module and level sensor, which can be placed under the main unit of the machine to optimise worktop space.



(MoDe Pro Milk + FUM fridge)

MK6 FRIDGE

6-litre fridge with display, level sensor and integrated pump module. Available with one or two* milk containers, the MK6 fridge is the solution for all locations with a high production of drinks made with fresh milk. Depending on the specific needs, it can be installed on either the right or left side of the machine.



(MoDe Pro Milk + MK6 fridge)

* The MK6 fridge with two milk containers is available only for MoDe X2 Pro Milk. In this configuration, each machine is connected to only one of the two containers.

(MoDe Quick Milk + MK4 fridge)

INTERFACE

7" TOUCHSCREEN


Select the drink to be dispensed with a simple tap and access the settings menu to modify all the machine settings. The main screen layout gives you a choice of visualising 8 or 12 drinks and for each one you can choose an icon from those available in three different galleries of images.

MULTI-DRINK

Save your recipes for coffee, milk and instant products and use them as a basis to easily create unlimited drinks for your menu and make them always available in different formats.

x12

MENU IN 12 LANGUAGES



3 ACCESS LEVELS

MoDe offers three different access menus for baristas, managers and technicians, all password protected. Each menu has been studied to offer the different people working on the machine the best user experience and maximum safety.

EASY SWITCH

You can also program different interfaces for each time range, activating different drink menus, the self-service mode, or payment mods.

AUTO ON-OFF

You can set the machine's automatic switch-on and switch-off time for each day of the week.

QUICK RESTART

During start-up, the machine skips the normal coffee circuit rinse cycle and is immediately ready for use if the temperature inside the coffee boiler is still above a certain set point.

SELF-SERVICE MODE

MoDe is designed to work both with an operator or a professional barista and in self-service mode. It goes easily from one mode to the other, depending on the needs of your business and different times of day.

STATISTICS

Browse the statistics menu to visualise the number of drinks dispensed, sorted into categories and ingredients used, earnings generated and the detail of all the cleaning cycles completed.

BOILER PRIORITY

The machine allows the user to prioritise whether to heat the coffee boiler or the steam boiler first when operating in reduced power mode. For those who mainly serve coffee, heating the coffee boiler first is the best choice. On the other hand, for those who work more with milk, hot water and steam, it is better to heat the steam boiler first.

MAINTENANCE

EASY TO MAINTAIN

All internal components are organised into modules according to their function to facilitate routine maintenance operations and speed up technical service work. Open the front door to access the brewing group, boiler module, and solenoid valves. Remove the body panels to access: the hydraulic module with pump and pressure gauge (left side panel), grinders and powder module with motors and optical sensors (upper panel), and electronic card (rear panel).

CALIBRATION


By accessing the Technician menu from the touchscreen, you can follow the guided procedure for the following calibrations: grinders, milk, milk frothing, instant products, water.

DIAGNOSTIC

The "Technical" menu includes a "Diagnostic" function allowing users to quickly check that all the circuits and various components are in good working order from the touchscreen.

BACKING UP DATA

Access the Backup function to load or save a configuration of the machine via USB pen drive.




CLEANING

CLEANING CYCLES

The dedicated menu makes it possible to activate individual cleaning cycles for the coffee and milk circuits or a complete cycle to clean both circuits. The instructions visualised on the touchscreen guide the operator at every stage of the operation. Detergents for cleaning can be bought from the Spare Parts Portal.

7 minutes

COMPLETE CLEANING CYCLE DURATION



DETERGENTS AND FILTERING SYSTEMS

Care for your coffee machine by running regular washing cycles with Egro detergents. And for optimal protection of your equipment, request and install the filtering system for water treatment that best suits your needs.

RINSE CYCLES

Schedule rinse cycles for different times of the day or after every brew to always keep your coffee machine efficient and clean.





ADD-ONS AND EXTRA FEATURES

LOCKING KIT AND "OPTION SELF"

An optional kit is available with locks for the hoppers and the coffee grounds drawer. And in addition to the locks, with "Option Self" you can also have the indicators for correct positioning of the cups before dispensing, which is very useful in the self-service mode.

MDB PROTOCOL

The machine can be connected to all external payment systems that are compatible with the MDB communication protocol.

COLOUR

BLACK

30 cm

MACHINE BODY WIDTH

COMPACT DESIGN

High-quality components, a built-in hoppers and other space-saving solutions provide you with maximum technology in minimum space.



30 cm / 11.8 in

UNDER COUNTER GROUNDS CHUTE

A very useful optional for those who prefer to collect the coffee grounds directly in a bin underneath the counter, without having to empty the drawer built into the machine.

PAYMENT SYSTEMS

Discover maximum flexibility with a huge choice of available payment systems.

CUP WARMER

External cup warmer module with three shelves and adjustable temperature.



MODE X2 PRO MILK

MoDe X2 Pro Milk is a special configuration consisting of two MoDe Pro Milk units with an MK6 fridge in the centre connected to both machines.

RECOMMENDED DAILY OUTPUT

MODE X2 PRO MILK


x360

CUPS/DAY




MODE


MODE PURE COFFEE




MODE PRO MILK



MODE QUICK MILK



MODE X2 PRO MILK



KEY FEATURES

PERFORMANCE Recommended daily output (cups/day)¹	PURE COFFEI	QUICK MILK	PRO MILK	X2 PR MILK
	150	150	180	360
INTERFACE				
7" Touchscreen	•	•	•	•
COFFEE				
Grinder	•	•	•	•
Second grinder 18 g brewing chamber				
22 g brewing chamber (BC22)	•	•	•	•
Fresh water bypass (1 cup of Americano) ²	•	•	•	•
Hot water bypass (1 cup of Americano)	•	•	•	•
STEAM				
Steam wand	•	_	•	•
Automatic steam wand (iSteam Pro)		-	•	
HOT WATER				
Central hot water outlet	•	•	•	•
Right side hot water outlet				
MILK SYSTEMS				
Pro Milk	_	_	•	•
Quick Milk	_	•	_	_
Fresh milk beverages				
POWDER				
Built-in powder hoppers (up to 2)	•	•	•	•
FRIDGES				
MK6 fridge (6 liters)³	_	_	•	•
MK4 fridge (4.5 liters)	_	•	•	_
FUM fridge (4 liters)			©	
ADD-ON				
Cup warmer	•	•	•	•
EXTRA FEATURES				
Under counter grounds chute	•	•	•	•
Lock package	•	•	•	•
Option Self (Lock package, Cup stopper) Payment systems	•	•		•
MDB protocol	•		•	•
Connect (telemetry system, wi-fi only)	•	•	•	•
For more information about the delivery capacity and energy	³ Only with MoDe X2 Pro Milk, it is also	available with two	Sta	ndard

¹ For more information about the delivery capacity and energy consumption of Egro coffee machines, please visit:

³⁻litre milk containers.

Optional 🕖

² Available only with central hot water outlet.

Not available —

TECHNICAL DATA

BLACK

 $\mathbb{M} \times \mathbb{D} \times \mathbb{H}$

300 x 580 x 790 mm 11.8 x 22.8 x 31.1 in

WEIGHT

43 kg / 94.8 lb

COFFEE BOILER CAPACITY

0.5 I

STEAM BOILER CAPACITY

0.81

COFFEE BEAN HOPPER CAPACITY

1x 1.25 kg (1G) 2x 0.75 kg (2G)

POWDER HOPPERS

1x 2 | (1S)

2x 2 | (2S)

POWER SUPPLY

100-120 V, 50-60 Hz (1.5 kW)

220-240 V, 50-60 Hz (2.3 kW)

220-240 V, 50-60 Hz (3.5 kW)

WATER SUPPLY

Water mains connection


NOISE LEVEL DURING USE

<70 dB



A D D - O M

CUP WARMER



 $W \times D \times H$

300×365×580 mm 11.8×14.4×22.8 in

WEIGHT

14 kg / 30.1lb

MAINS POWER


220-240 V~, 50 Hz

POWER RATING

420 W

BLACK

PAYMENT SYSTEMS



14.4 in

5.9 in

 $L \times P \times A$


150 × 365 × 580 mm 5.9 × 14.4 × 22.8 in POWER SUPPLY

24 V from coffee machine

BLACK



MK6 FRIDGE



■ BLACK

 $W \times D \times H$

300 × 365 × 580 mm 11.8 × 14.4 × 22.8 in

WEIGHT

29 kg / 63.9 lb

POWER SUPPLY

220–240 V, 50-60 Hz, 0.25 A 110-120 V, 60 Hz, 0.77 A

Japan: 100 V, 50-60 Hz, 0.7 A


MILK CONTAINER

1x 6 litres
2x 3 litres*

COOLING AGENT

R600a 14g

MK4 FRIDGE



■ BLACK

 $\mathbb{N} \times \mathbb{D} \times \mathbb{H}$

240 x 450x 475 mm 9.4 x 17.7 x 18.7 in

WEIGHT

9 kg / 19.8 lb

POWER SUPPLY

220-240 V~, 50-60 Hz, 0.5 A


MILK CONTAINER

4.5 I / 1.19 gal US

COOLING AGENT

R600a / 10.5 g

FUM FRIDGE



BLACK

 $W \times D \times H$

315 × 600 × 203 mm 12.4 × 23.6 × 8.0 in

WEIGHT

18.5 kg / 40.0 lb

220-240 V~, 50 Hz, 0.8 A 220 V~, 60 Hz, 0.9 A 115 V ~, 60 Hz, 1.3 A

MILK CONTAINER

4 I

COOLING AGENT

R600a 16g (220-240 V) R134a 40g (115 V)

29

* Only with MoDe X2 Pro Milk

2.8

CONNECT

TELEMETRY SYSTEM

Power to your coffee business.

It doesn't matter what size your organization is, the only important thing is that you want to improve your coffee business. Connect helps you to make effective use of the data generated by your coffee machines, and support you in advancing your own journey becoming a data-driven business. It's time to take a competitive advantage in whatever marketplace you operate in.

RANCILIOGROUP.COM/CONNECT



MAIN BENEFITS



1

USER-FRIENDLY DASHBOARD



2

MANAGE YOUR FLEET WITH EASE



3


BOOST SERVICE EFFICIENCY



4

INCREASE BUSINESS PERFORMANCE

HOW IT WORKS





egrocoffee.com



an Ali Group company



The Spirit of Excellence